Centre Number

Other Names

wjec cbac

## WJEC LEVEL 2 CERTIFICATE

9550/01

## **ADDITIONAL MATHEMATICS**

A.M. TUESDAY, 21 June 2016

2 hours 30 minutes

	For Examiner's use only		
	Question	Maximum Mark	Mark Awarded
ADDITIONAL MATERIALS	1.	8	
A calculator will be required for this paper.	2.	5	
	3.	4	
INSTRUCTIONS TO CANDIDATES	4.	5	
Use black ink or black ball-point pen.	5.	8	
Write your name, centre number and candidate number in the spaces at the top of this page.	6.	7	
Answer <b>all</b> the questions in the spaces provided.	7.	10	
Take $\pi$ as 3.14 or use the $\pi$ button on your calculator.	8.	7	
	9.	5	
INFORMATION FOR CANDIDATES	10.	8	
You should give details of your method of solution when	11.	5	
appropriate.	12.	11	
Scale drawing solutions will not be acceptable where you	13.	6	

are asked to calculate. The number of marks is given in brackets at the end of

each question or part-question.

You are reminded that assessment will take into account the quality of written communication (including mathematical communication) used in your answer to question **5**.

When you are asked to show your working you must include enough intermediate steps to show that a calculator has not been used.

14.

15.

Total

4

7

(a)	(i)	Factorise $21x^2 - 8x - 4$ .	[2]
	(ii) 	<b>Hence</b> solve the equation $21x^2 - 8x - 4 = 0$ .	[2]
	······		
	······		
(b)		Use the method of completing the square to find the least value of	
	<u>.</u>	$x^2 + 12x + 49.$	[3]
		Least value of $x^2 + 12x + 49$ is	
	(ii)	What is the value of x when $x^2 + 12x + 49$ has its least value?	[1]

Find $\frac{dy}{dx}$ for each of the following. (a) $y = 9x^4 + 4x^2 - 3$	[3]
(b) $y = x^{-8}$	[1]
(c) $y = x^{\frac{3}{4}}$	[1]

3

2.

Examiner only

Prove that $\frac{3x}{2} - \frac{x}{3}$	$\frac{-6}{5} + \frac{2x+3}{7} \equiv \frac{111x+114}{70} \ .$	[4]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$dx$ , find $\frac{dy}{dx}$ from first principles.	[5]
Given that $y = x^2 + 3$	$x$ , find $\frac{dy}{dx}$ from first principles.	[5]

4

5. You will be assessed on the quality of your written communication in this question.

A cylindrical package is made with a radius of 4 cm and a height of 18 cm. The net of the cylinder is drawn on a thin rectangular piece of card as shown in the sketch below.



Diagram not drawn to scale

The circular ends of the package touch the rectangular piece of the net and the edges of the th card exactly.	nin
Calculate the area of the thin rectangular piece of card that is wasted in making this cylindric	cal
You must show all your working.	[8]
	•••••

(9550-01)



The	coordinates of the points $F$ and $G$ are (-2, 14) and (4, 6) respectively.		Exar or
(a)	Calculate the length of the line <i>FG</i> .	[2]	
(b)	Find the gradient of the straight line that passes through points $F$ and $G$ .	[2]	
(c)	<ul> <li>Find the equation of the straight line that</li> <li>passes through the mid-point of the line <i>FG</i>, and</li> <li>is perpendicular to the line <i>FG</i>.</li> <li>Express your answer in the form <i>ax</i> + <i>by</i> + <i>c</i> = 0, where <i>a</i>, <i>b</i> and <i>c</i> are integers.</li> </ul>	[6]	
		······	
		······	

Find the coor You must shc	dinates and nature of e w all your working.	ach of the stationa	ry points on the curve	$y = x^3 - 3x^2 + 11.$ [7]

	01 110	cos45°	
(a)	Simplify	sin45°.	[1]
(b)	Express	$\frac{\sin 30^{\circ}}{\tan 60^{\circ}}$ in the form $\frac{\sqrt{a}}{b}$ , where <i>a</i> and <i>b</i> are integers to be for	und. [2]
(c)	(sin60°) <sup>2</sup> Simplify	<sup>2</sup> is written sin <sup>2</sup> 60°. sin <sup>2</sup> 60° + tan <sup>2</sup> 45°.	[2]

10.	(a)	Find	the remainder when $x^3 + 6x^2 - x - 30$ is divided by $x - 4$ .	[2]	Examiner only
	(b)	(i)	Show that $x - 2$ is a factor of $x^3 + 6x^2 - x - 30$ .	[2]	
		(ii)	<b>Hence</b> factorise $x^3 + 6x^2 - x - 30$ .	[4]	
		<u></u>			



Turn over.

<b>2.</b>	(a)	Find $\frac{d^2 y}{dx^2}$ when $y = 3x^7 + 4x$ . [2	Examine only
	(b)	Find $\int (4x^3 + 2x + 4x^{-2}) dx$ . [4	]
	(c)	Showing all your working, evaluate $\int_{2}^{3} (8x+2) dx$ . [5	]


© WJEC CBAC Ltd.

ind, using an algebra $y = x^2 - 6x + 14$ and $y$	praic method, the co the straight line $x + y$	pordinates of the $y = 10$ .	points of intersection	of the curve
rou must snow all yo	ur working.			[4]
				••••••



## **BLANK PAGE**