

Surname Centre Number Candidate Number Other Names



GCSE - NEW

3300U40-1

\$17-3300 J40-1

# MATHEMATICS UNIT 2: CALCULATOR-ALLOWED INTERMEDIATE TIER

B C D E 48 33 23 11

TUESDAY, 20 JUNE 2017 - AFTERNOON

1 hour 45 minutes

#### **ADDITIONAL MATERIALS**

A calculator will be required for this paper.

A ruler, a protractor and a pair of compasses may be required.

#### **INSTRUCTIONS TO CANDIDATES**

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all the questions in the spaces provided.

If you run out of space, use the continuation page at the back of the booklet, taking care to number the question(s) correctly.

Take  $\pi$  as 3·14 or use the  $\pi$  button on your calculator.

### INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.


In question 10, the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.




For E	xaminer's u	se only
Question	Maximum Mark	Mark Awarded
1.	7	7
2.	3	10
3.	2	12
4.	3	15
5.	2	17
6.	4	21
7.	5	26
8.	4	30
9.	3	33
10.	6	39
11.	4	43
12.	5	48
13.	4	52
14.	3	57
15.	3	58
16.	3	61
17.	5	66
18.	5	71
19.	2	73
20.	2	75
21.	5	80
Total	80	

## Formula List - Intermediate Tier

Area of trapezium =  $\frac{1}{2}(a+b)h$ 



Volume of prism = area of cross-section × length



(b) Calculate $\frac{3}{7}$ of 100.  Give your answer correct to the nearest whole number. $\frac{3}{7}$ $\frac{100}{100} = \frac{42 \cdot 8}{100} = \frac{43}{100}$ (c) How many quarters are there in 10? $\frac{10}{100} = \frac{1}{100} = \frac{1}{100}$ (d) What fraction is equal to 50% of $\frac{1}{6}$ ?	[2]	B
(d) What fraction is equal to 50% of $\frac{1}{6}$ ?	******	1
(d) What fraction is equal to 50% of $\frac{1}{6}$ ?	[1]	В
$50\% \times 1 = 1$	[1]	B1
(e) Circle the fraction that is a recurring decimal. $ \frac{21}{35} \qquad \frac{10}{12} \qquad \frac{17}{68} \qquad \frac{15}{24} \qquad \frac{51}{170} $ ×		BI



2.	Ci	rcle either TRUE or FALSE for each of the following sta	atements.		[3
		A triangle with one angle equal to 70° could be an equilateral triangle.	TRUE	FALSE	
		A triangle with one angle equal to 70° could be an isosceles triangle.	TRUE	FALSE	
		A triangle with one angle equal to 70° could be a right-angled triangle.	TRUE	FALSE	33
		An isosceles triangle could have one of its angles equal to 105°.	TRUE	FALSE	B2
		A right-angled triangle could have one of its angles equal to 105°.	TRUE	FALSE	B1
	7	40 20			
	<u>J</u> 2	70 JT (17) 90 (70)			
	<u>4</u>				
3.	Cal	culate the answer when,			
	is m	'the largest prime number that is a factor of 28' nultiplied by			
		'the smallest prime number that is factor of 15'.			[2]
		7 x 3 = 21			
					•••••••




4



4. The diagram below shows a number machine.

only

[1]



Using the number machine, calculate:

(a) the INPUT when the OUTPUT is 36,

36 ÷3 = 12-7=5

(b) the OUTPUT when the INPUT is n. [2]

(n+7)×3



range is 8, and

• mean is 13. [2]



The three integers are lo and ly

Mean = total



BI

. (a)	Write down the first three terms of the sequence whose <i>n</i> th term is given by $2n-5$ . [2]	Examin only
3	3"tern = 2x3 -5 = 6-5 = 1	BL
	The first three terms are $\frac{-3}{1}$ and $\frac{1}{1}$	
(b)	Write down an expression for the $n$ th term of the following sequence. [2]	1
	7, 11, 15, 19, 4 4 4	B)
	4n +3	BI
**********		



© WJEC CBAC Ltd.

7.	A	dice	is	thrown	50	times
----	---	------	----	--------	----	-------

The number shown on the dice is recorded after each throw. The table below shows the results recorded.

Number shown on dice	1	2	3	4	5	6
Frequency	9	7	8	7	6	13

The relative frequency of throwing a 1 was calculated as  $\frac{9}{50}$  = 0.18.

What was the relative frequency of throwing a 6? Give your answer as a decimal.

[1]

= 0.26

Examiner only

(b) The number 4 was thrown 7 times in the first 50 throws. Using this fact, calculate how many times you would expect a 4 to be thrown when this dice is thrown 3000 times.

7	3000	5	470
X	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
50			

How many times would you expect a 4 to be thrown when a fair dice is thrown 3000 (c)

8. ABCDE is a regular pentagon with centre O.




Diagram not drawn to scale

Calculate the size of angle  $\chi$ . You must show all your working.

360÷5 = 72°

DOCD is	isosceles	 180	-72=	108



08

Examiner only

MLA

[4]

MI

[3]

9. Look at the diagram below.

Working space: .....

The expression in each circle is found by **adding** the expressions in the rectangles on either side of the circle.

Complete the diagram by writing expressions in the blank circles and the blank rectangle. You must simplify your expressions.

3x + y 4x + 5y x + 4y 5x + 3y 4x - y



09

10. In this question, you will be assessed on the quality of your organisation, communication and accuracy in writing.

ABCF is a rectangle. CDEF is a trapezium. BD is a straight line.




Diagram not drawn to scale

 $AB = 7 \,\mathrm{cm}$ ,  $BD = 9 \,\mathrm{cm}$  and  $DE = 3 \,\mathrm{cm}$ .


The perimeter of rectangle ABCF is 24 cm.

Calculate the **area** of the trapezium *CDEF*. You must show all your working.

Deriveter of ABCF = 24

[4 + 2 OCW]

total lenth of shorter gides = 24-7-7 = 10cm	1
So one short site = 10-2 = 5cm	4
5.DC=9-5 = 4cm	





© WJEC CBAC Ltd.



11.	(a)	Calculate $\sqrt{8.5^3 + (4.5 - 0.76)^2}$ , correct to 3 significant figures.	[2]
		0-115	

32

アン・0	0 _		ادر ر ه

[2]

(b) Calculate the reciprocal of -0.07, correct to 1 decimal place.


137

-14.28

-14.3 to 1 dp

12. Show that the triangle below is not a right-angled triangle.

[5]



 $\rho = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} \right)^{2}$ 

Diagram not drawn to scale

5x - 7 + 5x - 2 + 2x	+1 = 100
1020-10 = 180	
10x = 190	
7: 190 = 19	

(A)

MI

Al



10

Examiner

13. A solution to the equation	Only
$x^3 - 2x - 45 = 0$	
lies between 3 and 4.	
Use the method of trial and improvement to find this solution correct to 1 decimal place. You must show all your working.	4]
fry χ=3.5 (3.7) -2(3.7) -45 = -9.127 foo small χ=3.7 (3.7) -2(3.7) -45 = -1.247 "	BI
$\gamma_{3,7}$ $(3.7)^{3}$ $-2(3.7)$ $-45$ $3-1.447$	B1
7:3.8 (3.8) -2(3.8)-45=+2.272 too big	
S. ox his between 3.7 and 3.8	
<del></del>	M
tost using x:3.75	
$(3.77)^3 - 2(3.75) - 45 = 0.234$ , too big	
(5.77) - 45.417 (3 - 0.254, 188 ) cg	
5. 3.75 → 3.8 all too big	Α)
5. 2:3.7 to 14p.	



**14.** A right-angled triangle *LMN* is shown below. *LN* = 16·9 cm and *LM* = 6·5 cm.




Diagram not drawn to scale

Calculate the length MN.



= 285.61 - 42.25

	01121
MN = V	243.36

٨	1

= 15.6 cm



Examiner Construct an accurate drawing of triangle ABC, where AB = 7 cm, ABC = 90° and BAC = 60°. Use only a ruler and a pair of compasses. The side AB has been drawn for you. You must show your construction arcs. only -[3]



	Exan
. Calculate the length of the side $QR$ in the triangle $PQR$ shown below.	[3]
Diagram not drawn to scale  Try  S H  C H  T  A	
opp = tan 24 x adj	
RQ = Fan 24 x 18	A
= 9.01 cm	



17. 100 boxes each contain 10 balls.

45 of the boxes are labelled A.

They each contain 7 black balls and 3 white balls.

25 of the boxes are labelled B.

They each contain 4 black balls and 6 white balls.


The rest of the boxes are labelled C.

They each contain 8 black balls and 2 white balls.

In a game, a player chooses a box at random, and then chooses a ball at random from that box.

Complete the tree diagram shown below.

[1]



BI

What is the probability that a player will select a black ball?

[3]

			Examiner only
	(c)	If a large number of people played the game, approximately what fraction of them would you expect to choose a white ball?  [1]	
		$\frac{1}{10} \qquad \qquad \frac{1}{5} \qquad \qquad \frac{1}{4} \qquad \qquad \frac{1}{3} \qquad \qquad \frac{1}{2}$	BI
		1 - 131 = 69 (0.34T)	
9			
18.	(a)	Factorise $x^3 - 5x$ . [1]	BI
	(b)	Expand and simplify $(2x-3)(x+4)$ . [2	B)
		$2x^2 + \delta x - 3x - 12$	4
		$2\pi^{2} + 5\pi - 12$	b)
	(c)	Factorise $x^2 - 3x - 28$ .	2]
		$214 \left(x+4\right)(x-7)$	- B)
		4 7	



© WJEC CBAC Ltd.

Circle the equation of a straight line that is parallel to the line 3y = 2x + 6.

Examiner

$$3y = 2x + 7$$

$$2y = 3x + 6$$

$$3y = -2x + 6$$

$$-3y = 2x + 6$$

$$2y = -3x +$$

$$2y = 3x + 6 3y = -2x + 6 -3y = 2x + 6 2y = -3x + 6$$

$$4 = \frac{2x}{3} + \frac{6}{3} 4 = \frac{2x}{3} + \frac{6}{3} 4 = -\frac{3x}{3} + \frac{6}{3}$$

(b) Circle the equation of a straight line that is perpendicular to the line y = 5x - 3.

ΒĮ

$$y = \frac{x}{5} + 3$$

$$y = 5x + 3$$

$$y = 5x + 3$$
  $y = 5x + \frac{1}{3}$   $y = -5x + 3$ 

$$y = -5x + 3$$



20. Points A, B and C lie on the circumference of a circle, centre O.  $A\hat{C}B = 37^{\circ}$ .






Diagram not drawn to scale

Calculate the size of the **reflex** angle  $\widehat{AOB}$ .



21. The area of triangle ABD, shown in the diagram below, is 35 cm<sup>2</sup>. AD = 5 cm and BC = 32 cm. D is on the line AC, and BD is perpendicular to AC.






Diagram not drawn to scale

Calculate	the size of angle $x$ .
You must	show all your working.

220000
F (**)
1001
10/1
1-3

Loia		
A ABS	0: _	1 x F

$$\frac{1}{2}$$
  $\times$  AD  $\times$  BD = 35

© WJEC CBAC Ltd.

**END OF PAPER** 

